

PEDESTAL & POWER OUTLETS



METERING



NON-METALLIC PEDESTALS



SPECIALTY PRODUCTS



UTILITY SUPPLY GROUP

- Heritage Pedestals
- Heritage G-Series
- Heritage Surface Mount Boxes
- Powerslide
- Service Entrance Pedestals
- Portable Meters
- Electric Meters
- Water Meters
- Site Lighting
- Area Lighting
- Water Hydrants
- Distribution Panels
- Transformers
- Wire
- Circuit Breakers
- Utility Metering
- Replacement Parts
- Electrical Layout Services

Open 8:30AM - 5PM Coast to Coast
800-800-2811 **www.go-usg.com**

ABOUT UTILITY SUPPLY GROUP

Why choose Utility Supply Group?

- Utility Supply Group is the leading national supplier of electrical products and components for RV Resorts, Campgrounds and Manufactured Home Communities, Park Management Companies and Contractors.
- We have over sixty years of electrical experience on staff and pride ourselves on providing you with exceptional service, high quality products at competitive prices.
- Our unique electrical layout service is another popular part of our added-value service. See page 3
- Our exclusive  brand of pedestals & power outlets have an extended 2 year warranty and are stocked in two regional warehouses for immediate shipment.
- We are open Monday thru Friday 8:30 am to 5 pm coast to coast
- We are also strategic partners with MIDWEST ELECTRICAL PRODUCTS, MILBANK MANUFACTURING and EATON.
- We carry other products such as metering, lighting, water hydrants, wire, panel boards, transformers, utility metering, circuit breakers and replacement parts.
- If you don't find what you are looking for in this catalog, please give us a call. We will be happy to try to find it for you.
- Thank you for choosing Utility Supply Group!

"When choosing a supplier, Utility Supply Group has the people and products you can count on!"



Table of Contents

2	About Us
3	Electrical Layout Service
4	New Products
5	Heritage Surface Mount
6	Heritage Pedestals
7	Heritage G-Series
8	Heritage R-Series
9	Site Accessories
10	Electric Metering
11	Water & Gas Metering
12	Lighting
13	Lighting
14	Distribution Equipment
15	Manufacturing Housing Products
16	Aluminum Wire
17	Midwest Products
18	Eaton Products
19	Milbank Products
20	Replacement Part
21	Meet the Team
22	Index
23	Index
24	We Support our Industry

Wade Elliott, USG President, serves on the board (NEC & NFPA) that establishes electrical code standards as well as the Underwriters Laboratory (UL) Standards Technical panel. As a result, the depth of our company knowledge with NEC & UL requirements is unmatched within our industry. Thus, allowing us to provide exceptional service and comprehensive solutions to our customers. By staying directly involved with these agencies, USG has helped saved the industry millions of dollars by heading off potentially costly and unnecessary code changes.



ELECTRICAL LAYOUT SERVICE

Utility Supply Group offers park and community operators our layout service. Whether you're developing a new park, expanding or upgrading your existing park, Utility Supply Group can provide you comprehensive, practical electrical layout package. Utilizing site plans you provide, we will 1) Calculate voltage drop and load calculations pursuant to current NEC guidelines, 2) Provide materials list which includes a detailed cost quote and, 3) a recommended layout, and 4) drawings & specifications.

Information we need from you:

- Site plan showing the number of sites, along with scale and dimension details
- Maximum amp delivery per site (we suggest 50 amps at all RV sites)
- Additional load requirements for restrooms, laundry facilities, offices, etc.
- Locations of incoming utility power
- Limitations potentially impeding trenching, including trees, buildings or utility lines
- Identity of electrical utility

Additional information requested may include whether you will meter individual sites, the dates on which materials will be required and whether materials will be purchased in phases.

We have provided hundreds of electrical layouts nationwide. Large or small we can provide you with an economical and feasible solution to help expand your business.

To learn more about this service give us a call. You will be happy you did.

1

Voltage Drop & Load Calculations

Wonderland RV Park

# of 30 Amp Sites	0
# of 50 Amp Sites	14
Total Amps	269
# of Load Centers	1
# of Transformers	1
Overall Demand Factor	48%

Aluminum Distribution Wire

Erskine	-	Princeton	-
Vassar	-	Mercer	-
Ramapo	-	Clemson	1,140
Bergen	-		
Hunter	-		
Monmouth	1,140		
250 Triplex	-		

Load Center 1

0	X	30 Amp Service	-	-	Volts-Amps
0	X	3600 Volt-Amps	-	-	Volts-Amps
14	X	50 Amp Service	-	-	Volts-Amps
14	X	9600 Volt-Amps	-	134,400	Volts-Amps
-	/	120 Volts	-	-	Amps
134,400	/	240 Volts	-	-	560 Amps
560	X	48% Percent	-	-	269 Amps

Circuit # 1 Sites # 45-47 Demand Factor 80%

30 Amp Sites	0	X	3600 Volt-Amps	-	-	Volts-Amps
50 Amp Sites	3	X	9600 Volt-Amps	-	28,800	Volts-Amps
Total CKT Sites	3					

CKT Amps: 30 0 50 96 Total 96

CKT Distance (ft) 330

Monmouth 40 Alum Triplex #2 USE Grnd

Voltage Drop: 6.35 Volts

Circuit # 2 Sites # 48-51 Demand Factor 75%

30 Amp Sites	0	X	3600 Volt-Amps	-	-	Volts-Amps
50 Amp Sites	4	X	9600 Volt-Amps	-	38,400	Volts-Amps
Total CKT Sites	4					

CKT Amps: 30 0 50 120 Total 120

CKT Distance (ft) 240

Monmouth 40 Alum Triplex #2 USE Grnd

Voltage Drop: 5.77 Volts

2

Materials List

UTILITY SUPPLY GROUP
 2010 W BOND RD NE KINGSTON, WA 98346-8476
 Phone: 360-881-0375 Fax: 360-881-0742 E-Mail: info@go-usg.com


Quote
 Order # 32186
 Customer: WONDERLAND CAMPG
 Date: 9/30/2013

Bill To	Ship To
WONDERLAND CAMPGROUND 123 CAMPGROUND RD KINGSTON, WA 98346	WONDERLAND CAMPGROUND 123 CAMPGROUND RD KINGSTON, WA 98346

Product	Qty	Unit	Description	Ordered	Price	Amount
M415P-3	14	Ea	HERITAGE METERED 50/30/20 PEDESTAL	14	0.00	\$0.00
SSEM	14	Ea	SOLID STATE ELECTRIC METERS	14	0.00	\$0.00
B424DRIN	1	Ea	CUTLER HAMMER 400 AMP LOAD CENTER 400 AMP 250AC MAIN BREAKER, NEMA 3R, 42 SPACES	1	0.00	\$0.00
MONMOUTH	1,400	Ft	40 TRIPLEX USE	1,400	0.00	\$0.00
CLEMSON	1,400	Ft	#2 ALUM USE	1,400	0.00	\$0.00
FREIGHT	1	Ea	FREIGHT CHARGES	1	0.00	\$0.00

3

Recommended Layout



Sub-Total	\$0.00
Total	\$0.00

At Utility Supply Group we strive to bring new and innovative products to you. The two new Heritage pedestals below were developed with improved product features and quality to save you time and money. The **G-Series** incorporates the use of a GFCI circuit breaker in lieu of often problematic GFCI receptacles. GFCI self-testing circuit breakers are much more durable and protect the circuitry from dirt, moisture & insects. Helps eliminate costly receptacle replacements. **See page 7** for ordering details. The **R-Series** is a ring-less type version of our popular ring type metered products. The ring-less meter cover provides installation ease and added safety. No more fighting or replacing meter rings. Both are available as direct burial or pad mount with a 50/30/20 configuration only. **See page 7** for ordering details. The **Pad-Mount** is an economical and time saving solution to costly field wiring tasks. We have extensive range of **Lighting Solutions** for any RV Resort or Manufactured Home Community. **Contact USG sales office for ordering details.**



G-SERIES

- Pedestal or Surface mount
- Metered or Unmetered
- Ring Type Meter Socket
- Direct burial or Pad Mount
- 50/30/20GB Configuration
- **20A GFCI Circuit Breaker Standard**
- LED light available
- **Available from USG Stock**



R-SERIES


- Pedestal or Surface mount
- Metered or Unmetered
- **Ring-less Type Meter Socket**
- Direct burial or Pad Mount
- 50/30/20 Configuration
- 20A GFCI Circuit Breaker option
- LED Light available

PAD MOUNT


- Power Pedestal Pad Mount Bracket
- Economical & Time Saving
- Cut down on time consuming field wiring



LIGHTING




We have several new products available for your lighting needs. See page 9 for some of the latest products.



- Site Lighting
- Facility Lighting
- 120 volt and Solar Options

SURFACE MOUNT

These power outlets are specifically designed to be mounted on a post or other structure. Wire can be fed from overhead or underground with the appropriate conduit connections. Overhead feed units will require a hub. Unmetered models have dual 1/0 lugs for loop feeding. Metered models cannot be loop fed. Use a pedestal model for larger wire size loop feeding. Surface Mount Boxes have a rain tight hub opening for adding a meter kit or pagoda light kit..



Catalog	Description	HxWxD (in)	Loop Feed	Rec 1	Rec 2	Rec 3
H75SM-3	Unmetered 50/30/20 Surface Mount	17x9x5	Y	50A 240V	30A 120V	20A 120V GFI
H75SM-3L	Lighted Unmetered 50/30/20 Surface Mount	17x9x5	Y	50A 240V	30A 120V	20A 120V GFI
H41SM-3	Unmetered 30/20 Surface Mount	17x9x5	Y	30A 120V	20A 120V GFI	-
H41SM-3L	Lighted Unmetered 30/20 Surface Mount	17x9x5	Y	30A 120V	20A 120V GFI	-
H61SM-3	Unmetered 30/30/20 Surface Mount	17x9x5	Y	30A 120V	30A 120V	20A 120V GFI
H13SM-3*	Unmetered 30 Surface Mount	9x7x4	N	-	30A 120V	*
H11SM-3	Unmetered 20/20 Surface Mount	17x9x5	Y	20A 120V GFI	-	20A 120V GFI
Catalog	Description	HxWxD (in)	Loop Feed	Rec 1	Rec 2	Rec 3
MH41SM-3	Metered 30/20 Surface Mount	31x9x5	N	-	30A 120V	20A 120V GFI
MH75SM-3	Metered 50/30/20 Surface Mount	31x9x5	N	50A 240V	30A 120V	20A 120V GFI
MH75SM-3L	Lighted Metered 50/30/20 Surface Mount	31x9x5	N		50A 240V	30A 120V

20A 120V GFI


- UL listed, 100 Amp, 120/240V, Single Phase
- Galvanized, Powder Coated Outdoor 3R enclosure with hub opening and lockable cover
- Line & Neutral Lugs: (2)#12-1/0; Ground #12-2 (Surface Mount) (1) #6-1/0 (Metered)
- Receptacles and circuit breakers prewired with copper conductors
- Light includes 7W Bulb, Photocell and Door Lens, LED upgrade available

* Not recommended for RV site use. 20 Amp GFCI Protection is required at each site by NEC 551.71



PEDESTALS

These pedestals are specifically designed for direct burial or pad mount for underground feed. All have dual 350MCM lugs for loop feeding. Surface Mount Boxes have a rain tight hub opening for adding a meter kit or pagoda light kit.



Catalog #	Description	HxWxD (in)	Loop	Mounting	Rec 1	Rec 2	Rec 3
MH75P-3	Metered 50/30/20 Pedestal	78x9x5	Y	Burial	50A	30A	20A GFI
MH75P-3L	Lighted Metered 50/30/20 Pedestal	78x9x5	Y	Burial	50A	30A	20A GFI
MH75PD-3	Metered 50/30/20 Pad Mount Pedestal	78x9x9	Y	Pad	50A	30A	20A GFI
MH75B-3	Metered 50/30/20 Back to Back Pedestal	78x9x9	Y	Burial	50A	30A	20A GFI
MH41P-3	Metered 30/20 Pedestal	78x9x5	Y	Burial	-	30A	20A GFI
MH41B-3	Metered 30/20 Back to Back Pedestal	78x9x9	Y	Burial	-	30A	20A GFI
Catalog #	Description	HxWxD (in)	Loop	Mounting	Rec 1	Rec 2	Rec 3
H75P-3	Unmetered 50/30/20 Pedestal	66x9x5	Y	Burial	50A	30A	20A GFI
H75P-3L	Lighted Unmetered 50/30/20 Pedestal	66x9x5	Y	Burial	50A	30A	20A GFI
H75PD-3	Unmetered 50/30/20 Pad Mount Pedestal	66x9x9	Y	Pad	50A	30A	20A GFI
H75B-3	Unmetered 50/30/20 Back to Back Pedestal	66x9x9	Y	Burial	50A	30A	20A GFI
H41P-5	Unmetered 30/20 Pedestal	62x7x4	Y	Burial	-	30A	20A GFI
H41B-3	Unmetered 30/20 Back to Back Pedestal	66x9x9	Y	Burial	-	30A	20A GFI
H61P-3	Unmetered 30/30/20 Pedestal	66x9x5	Y	Burial	30A	30A	20A GFI
H61B-3	Unmetered 30/30/20 Back to Back Pedestal	66x9x9	Y	Burial	30A	30A	20A GFI
H11P-3	Unmetered 20/20 Pedestal	66x9x5	Y	Burial	20A GFI	-	20A GFI

- UL listed, 100 Amp, 120/240V, Single Phase
- Galvanized, Powder Coated Outdoor 3R enclosure with hub opening and lockable cover
- Line & Neutral Lugs: (2) #6-350MCM; Ground 2/0 (Pedestal)
- Receptacles and circuit breakers pre wired with copper conductors
- Light includes 7W Bulb, Photocell and Door Lens, LED upgrade available





GFCI circuit breaker design provides added durability and reliability

G-SERIES (20 AMP GFCI CIRCUIT BREAKER)


Catalog #	Description	HxWxD (in)	Loop	Mounting	Rec 1	Rec 2	Rec 3
H75GSM-3	Unmetered 50/30/20 Surface Box	17x9x5	Y	Surface	50A	30A	20A GFCI CB
H75GSM-3L	Unmetered 50/30/20 Surface Box	17x9x5	Y	Surface	50A	30A	20A GFCI CB
H75GP-3	Unmetered 50/30/20 Pedestal	66x9x5	Y	Burial	50A	30A	20A GFCI CB
H75GP-3L	Lighted Unmetered 50/30/20 Pedestal	66x9x5	Y	Burial	50A	30A	20A GFCI CB
H75GPD-3	Unmetered 50/30/20 Pad Mount Pedestal	66x9x9	Y	Pad	50A	30A	20A GFCI CB
H75GB-3	Unmetered 50/30/20 Back to Back Pedestal	66x9x9	Y	Burial	50A	30A	20A GFCI CB
MH75GP-3	Metered 50/30/20 Pedestal	78x9x5	Y	Burial	50A	30A	20A GFCI CB
MH75GP-3L	Lighted Metered 50/30/20 Pedestal	78x9x5	Y	Burial	50A	30A	20A GFCI CB
MH75GPD-3	Metered 50/30/20 Pad Mount Pedestal	78x9x9	Y	Pad	50A	30A	20A GFCI CB
MH75GB-3	Metered 50/30/20 Back to Back Pedestal	78x9x9	Y	Burial	50A	30A	20A GFCI CB
MH75GSM-3	Metered 50/30/20 Surface Box	31x9x5	N	Surface	50A	30A	20A GFCI CB

- UL listed, 100 Amp, 120/240V, Single Phase
- Galvanized, Powder Coated Outdoor 3R enclosure with hub opening and lockable cover
- Line & Neutral Lugs: (2)#12-1/0; Ground #12-2 (Surface Mount)
- Line & Neutral Lugs: (2) #6-350MCM; Ground 2/0 (Pedestal)
- Receptacles and circuit breakers pre wired with copper conductors
- Light includes 7W Bulb, Photocell and Door Lens, LED upgrade available





RH75P-3
50/30/20



Ring-less Meter Cover

**Latch system for easy installation!
Dual seal for added protection!
No more replacing meter rings!**

R-SERIES (RING-LESS TYPE METER SOCKET)

Catalog #	Description	HxWxD (in)	Loop	Mounting	Rec 1	Rec 2	Rec 3
RH75P-3	Metered 50/30/20 Pedestal	78x9x5	Y	Burial	50A	30A	20A GFI REC
RH75P-3L	Lighted Metered 50/30/20 Pedestal	78x9x5	Y	Burial	50A	30A	20A GFI REC
RH75PD-3	Metered 50/30/20 Pad Mount Pedestal	78x9x5	Y	Pad	50A	30A	20A GFI REC
RH75B-3	Metered 50/30/20 Back to Back Pedestal	78x9x9	Y	Burial	50A	30A	20A GFI REC
RH75GP-3	Metered 50/30/20 Pedestal	78x9x5	Y	Burial	50A	30A	20A GFI BKR
RH75GP-3L	Lighted Metered 50/30/20 Pedestal	78x9x5	Y	Burial	50A	30A	20A GFI BKR
RH75GB-3	Metered 50/30/20 Back to Back Pedestal	78x9x9	Y	Burial	50A	30A	20A GFI BKR

- UL listed, 100 Amp, 120/240V, Single Phase
- Galvanized, Powder Coated Outdoor 3R enclosure with hub opening and lockable cover
- Line & Neutral Lugs: (2)#12-1/0; Ground #12-2 (Surface Mount)
- Line & Neutral Lugs: (2) #6-350MCM; Ground 2/0 (Pedestal)
- Receptacles and circuit breakers pre wired with copper conductors
- Light includes 7W Bulb, Photocell and Door Lens, LED upgrade available



SITE ACCESSORIES

Site Lights



Pagoda Light Kit

- Field installed
- Includes Fixture, B10 Hub, Reducer, LED 7W Bulb



Factory Installed Internal Light

- Includes Bulb, Socket, Outer Cover Lens & optional photocell

Water



Water Shroud



Frost Free Hydrant

- No Lead
- 1' - 10' Bury Depth



BVBADNL75

- Back Flow Valve
- Auto Drain, No Lead



BVBNL75

- Back Flow Valve
- No Lead

Communications



TTV100

- CATV Type F
- Telephone Type RJ11
- Weatherproof Steel Cover



UH90GTTV1

- CATV Type F
- Hose bib provision



With over 70 combined years of experience our team can help you find the right products for your RV Resort, Campgrounds & Manufactured Home Communities.

ELECTRIC METERING

**3 Year
Warranty!**
*Best in the
Business*



- SSEM**
- 240/120 Volt*
- Poly carbonate Lens
- Solid State Electronic
- CA Approved



Figure 4/3

- Socket Kit Complete (SKC)***
- Includes Socket Ring, Hub, Plug, Close Nipple, Padlock Seal (Meters Sold Separately)

*For 120 volt (1 hot wire connection) socket & meter require modification to operate. Contact USG for wiring instructions.


Portable Meters

- PM30 for 30A 120V Only
- PM50 for 50A 240V Only
- Meter Select Site, Temporary or Permanent
- Use to "TEST" Existing Meters
- Quick Payback - Save Money! (Meters sold separately)



PM30

Figure 4



PM50

Figure 5

Catalog #	Description	Figure	Volts	Comment
SSEM	Solid State Electric Meter	3	240/120 Volt ONLY	LCD Register
SSEM 120	Solid State Electric Meter	2	120 Volt ONLY	LCD Register
SKC	Socket Kit Complete	3	120 or 240 Volt	Order Meter Separately
PM30 KIT	Portable Meter Kit 30 amp	4	120 Volt ONLY	Order Meter Separately
PM50 KIT	Portable Meter Kit 50 amp	5	240 Volt ONLY	Order Meter Separately

GAS & WATER METERING

Water Meters

Gas Meters



Figure 1/2

Badger Recordall
Gallon or Cubic Feet Register



Figure 3

Neptune
T-10



Figure 4

AM250
Side Connect
AC250
Top Connect



Figure 5

SR113
Regulator



Figure 6

Couplings



Figure 7

Meter Jacket

Catalog#	Figure	Description	Length	Width	Depth	Weight
* RECORDALL LOW LEAD- CUFT	1	Badger Low Lead Direct Read Gallon Water Meter	8	6	6	4.2
RECORDALL LOW PROFILE-GAL	2	Badger Low Lead Direct Read Cubic Foot Water Meter	8	6	6	4
T-10	3	Neptune, Bronze Body, Cast Iron Freeze Plate, 5/8 x 3/4 Water Meter, Local Cubic Feet Register	8	6	6	3.25
AM250	4	Gas Meter, Side Connect 3/4"	13	9	6	12
AC250	4	Gas Meter, Top Enterance, 3/4"	13	9	6	12
SR113	5	Meter Gas Regulator	9	6	5	4.5
COUPLINGS	6	Water Meter Couplings 3/4", No Lead (Individual Ends- Requires 2 per Meter)	2.75	1	1	.35
METER JACKET	7	Meter Jacket - Manufacturer/Model Of Meter	9.25	6.25	4.75	.1

* California Approved

LIGHTING

Utility Supply Group offers many types of lighting options for RV resorts, campgrounds and manufactured home communities. Whether it is lighting for individual sites, walkways, roadways, signs, recreation areas, dog runs, security and the like, we have a solution. There are a many light source options, from new LED technologies and solar , to standard high pressure sodium, metal halide, Fluorescent and incandescent fixtures. Mounting poles of varying shapes and lengths are also available. We partner with many high quality lighting manufacturers. If you don't see something below, contact us with your needs and we will find you a solution.



Figure 1

PLK-LED




Figure 2

LED OH LIGHT



Figure 3

WLED48



Figure 4

ARL150



Figure 5

AL1L315

Catalog #	Description	Figure	Source	Type	Watts	Lumens
PLK-LED	Pagoda Top Light Kit	1	120V	LED	7	500
LED OH LIGHT	Overhead Security Light Kit	2	120V	LED	50	5300
WLED26	Aerial or Ground Flood Light	3	120V	LED	30	2976
WLED48	Aerial or Ground Flood Light	3	120V	LED	55	5900
WLED96	Aerial or Ground Flood Light	3	120V	LED	110	11,400
W2PL50	Aerial Light (non glare)	3	120V	Fluorescent	106	8600
ARL150	Parking & Area Light	4	120-277 V	LED	150	21,000
AL1L315	Parking & Area Light	5	120-277 V	LED	155	12,500

WE'VE GOT THE SOLUTION TO ALL YOUR LIGHTING PROBLEMS

NEW!



Figure 6

MARINER



Figure 7

SAL-54-5 WATT



Figure 8

SFL-120



Figure 9

SDL-4




Figure 10

Replacements


Catalog #	Description	Figure	Source	Type	Watts	Lumens
MARINER	Pad Mount Bollard (non-metallic)	6	120V	LED	2	300
SAL-54-5WATT	Solar Aerial Light	7	Solar	LED	8	420
SFL-120	Solar Flood Light	8	Solar	LED	10	1100
SDL-4	Solar Deck & Dock Light	9	Solar	LED	0.4	50
LED3	4.8 LED Bulb (base)	10	120V	LED	4.8	300
LED7	6.5W LED Bulb (medium base)	10	120V	LED	6.5	500
PHOTOCELL	Dusk to Dawn Light Control	10	120V	NA	NA	NA

DISTRIBUTION EQUIPMENT & WIRE



Load Centers

- 200, 400 & 600 AMP
- MCB or MLO
- 4-42 Circuit
- Outdoor/Indoor



Distribution Panel Boards

- Outdoor Rated Panel Board
- 400 Thru 1200 Amp
- Made to Order
- MCB or MLO
- GE Spectra
- EATON PRL



Enclosed CB

- 200 AMP



Junction Box

- 200 AMP
- 100 AMP



CP3B-AUX-1200 Distribution Panel

- 400, 600 & 1200 AMP
- Main Lug Only
- 6 Branch Circuits
- Pad Mounted
- Weatherproof Enclosure

Unit Substations & Transformers



- 75 - 300 KVA
- Made to Order
- Substation has Integral Panel board

Wire



- Aluminum
 - URD Direct Burial
 - Triplex/QuadPlex/Single Conductor
 - XHHW for Conduit
- Copper
 - THHN, XHHW
 - Standard or Solid
 - 75C or 90C

Unsure what you need? Let one of our experts provide your electrical layout to determine these materials.

MANUFACTURED HOUSING PRODUCTS

SERVICE ENTRANCE EQUIPMENT



Back to Back

200 Amp

R281C1B6H*

M281C1B6H**

200 Amp

R281C1P6H*

M281C1P6H**

100 Amp

R101CP6*

M101CP6**

*Ring-less Type Meter Socket | **Ring Type Meter Socket

MILBANK



200 Amp

U5136*

U5240**

EATON



200 Amp

MHR200P*

MHM200P**

200 Amp

R281CB1*

M281CB1**

100 Amp

R101C*

M101C**

200 Amp

U5168-XL-200*

U5268-XL-200**



NOTE: When a local electrical utility is providing and reading electric meters, always confirm model and type (ring or ring-less) acceptance before ordering or installing equipment.

ALUMINUM WIRE

URD & USE conductors are rated at 600 volt AC and are used for **direct burial** wet or dry applications not to exceed 90C. wire has concentric stranded construction with aluminum alloy 1350-H19 series for superior heat resistance & crosslinked black polyethylene insulation for durable wire protection. Available in single conductor, triplex or quadplex configurations. Neutral wires are marked with a yellow strip. Other sizes available.



Figure	Catalog#	Description	Phase Conductors Size AWG	Ground Conductor Size AWG	Strand	Outside Diameter (in)	Weight per 1000ft (lbs)
1	Erksine	#6 Triplex	6	6	7/w	.646	143
1	Vassar	#4 Triplex	4	4	7/w	.76	203
1	Ramapo	#2 Triplex	2	2	7/w	.88	294
1	Bergen	1/0 Triplex	1/0	1/0	19/w	1.14	465
1	Hunter	2/0 Triplex	2/0	2/0	19/w	1.23	560
1	Monmouth	4/0 Triplex	4/0	4/0	19/w	1.46	828
2	McPhearson	4/0, 4/0, 4/0, #2	4/0	2	19/w	1.56	979
2	Wake Forest	4/0, 4/0, 4/0, 2/0	4/0	2/0	19/w	1.56	979
2	Rust	250, 250, 250, 3/0	250 MCM	3/0	19/w	1.725	1,176
2	Slippery Rock	350, 350, 350, 4/0	350 MCM	4/0	19/w	1.945	1,544
3	6 STR	#6 STR USE	6	N/A		.29	49
3	4 STR	#4 STR USE	4	N/A		.34	65
3	2 STR	#2 STR USE	2	N/A		.39	94
3	1/0 STR	#1/0 STR USE	1/0	N/A		.50	150
3	250 MCM	#250 MCM USE	250 MCM	N/A		.710	320
3	350 MCM	#350 MCM USE	350 MCM	NC		.81	428

XHHW-2 conductors are rated at 600 volt AC and are **primarily used in conduit & raceways**. Wire is a single conductor with concentric stranded construction of aluminum alloy AA-8000 series for superior heat resistance & crosslinked black polyethylene insulation for durable wire protection. Other wire sizes and colors available.

Figure	Catalog#	Description	Conductor # of Strands (mils)	Conductor Diameter (mils)	Insulation Thickness (mils)	Outside Diameter (in)	Weight per 1000ft (lbs)
3	6 XHHW	#6, Alum, XHHW	7	169	45	.26	42
3	4 XHHW	#4, Alum, XHHW	7	213	45	.31	58
3	2 XHHW	#2, Alum, XHHW	7	263	45	.36	86
3	1 XHHW	#1, Alum, XHHW	18	299	55	.41	110
3	1/0 XHHW	1/0, Alum, XHHW	18	335	55	.45	134
3	2/0 XHHW	2/0, Alum, XHHW	18	378	55	.50	163
3	3/0 XHHW	3/0, Alum, XHHW	18	423	55	.54	200
3	4/0 XHHW	4/0, Alum, XHHW	18	476	55	.59	247
3	250 XHHW	250 MCM, Alum, XHHW	35	520	65	.65	296
3	350 XHHW	350 MCM	35	520	65	.75	401

NOTE: Standard packaging 500' or 1000' reels. Custom cut lengths available. Copper wire also available. Contact sales team. Wire prices subject to daily change based on market conditions.

MIDWEST PRODUCTS

Well-known among campground, RV park and mobile/manufactured housing community operators, Midwest is a division of General Electric. Midwest manufactures RV and manufactured housing pedestals, temporary power outlets and panel boards.



RV Products



Service Pedestals



100, 200 & 320 Amp

Parkmate



NOW IN STOCK

*Specifications:

- UL listed 100 amp 120/240 power outlet
- 50/30/20GFI receptacle & circuit breaker configuration
- Lockable weatherproof enclosure for unauthorized use.
- Loop-feed lugs on pedestal models (#6-350mcm wire)
- Loop-feed lugs on power center only (# 12-1/0 wire)

*Options:

- Built-in electronic meter with kilo-watt counter display
- 7 watt light with photoelectric control
- Cable TV, Water Shroud or Cable TV & Water shroud combination
- Pedestal options: direct burial or pad mount. Galvanized or stainless steel

Contact sales office for specific model numbers & pricing

Temporary Power



20A No Breaker
U010010



30A No Breaker
U013



30A with Breaker
U013C



50A with Breaker
U054C



20A with Breaker
U010C

EATON PRODUCTS

Eaton is one of the largest manufacturers of electrical products in the U.S. and worldwide. The company, headquartered in Cleveland, Ohio, offers the Cutler Hammer Brand of RV pedestals, load centers and meter packs. As an Eaton dealer and strategic partner, Utility Supply Group also offers the high-quality, non-corrosive Powerhouse and PowerSlide Brands as well.



Cutler-Hammer

PowerHouse Pedestals



RV Products



PowerSlide Pedestals



Breaker Panels

200, 400, 600 & 800 AMP



Meter Modules

2-6 Position,
125 & 200 AMP Main Breaker,
Ring or Ring-less



Large Frame Breakers



Small Frame Breakers



Disconnects



*Specifications:

- UL 125 amp 120/240 Volt power outlet
- Molded Tan enclosure for durable outdoor use
- Loop feed lug landing
- 50/30/20 amp GF receptacle configuration
- 4 Watt LED internal light with photo electric control

*Options:

- Electronic meter or meter socket
- Single or double sided
- CATV or Ethernet
- Single or dual water
- Pad Mount, Direct burial or Post Mounted

Contact sales office for specific model numbers & pricing

MILBANK PRODUCTS

The largest meter socket manufacturer in the U.S., Kansas City-based Milbank is recognized and/or approved by most nationwide utility providers. Milbank's Millennium and Voyager RV product lines are available through USG.



RV Products

Millennium

Voyager



Metering



Service Entrance Pedestals



Service Entrance



Distribution



Commercial Pedestals



Current Transformer Metering



Commercial Enclosures



REPLACEMENT PARTS

RECEPTACLES



BR54U
• 50 AMP Receptacle



58BU
• 50 AMP Receptacle



1258
• 50 AMP Receptacle



BR32U
• 30 AMP Receptacle



R32U
• 30 AMP Receptacle



1263
• 30 AMP Receptacle



U1263
• 30 AMP Receptacle



GF20V
• 20 AMP GFCI Receptacle

Receptacles vary by vintage and manufacturers - Confirm mounting type with pictures above before ordering.

CIRCUIT BREAKERS

GE

EATON



CB120 | **CB130** | **CB250**



CB4200H



GFCI



BJ2200



BR120



BR130



BR250



UQFP-200



UBIZ

MILBANK ZINSCO

GFCB Kit



Convert from GFI receptacle to GFI Breaker

LOAD CENTERS



Horizontal 4 Position
• CH Load Center




LC33N1T
• 3 Circuit



LC55N1
• 5 Circuit



LC55N1T
• 5 Circuit



#121-Tie Bar
• 2 Circuit



Lug Assemblies
• Loop Feed
LT100S350



Lug Assemblies
• Radial Feed
LT200B350RF



Base Hubs
• 3/4" - 2"
• Midwest, CH,
GE & Others

If you need something you don't see here, call us! We can try to get it for you!

MEET THE TEAM

Wade

Ext-100

Wade@go-usg.com

Wade is the founder and owner of Utility Supply Group headquartered in Kingston, WA. Wade founded Utility Supply Group in 2001 as a distributor of electrical, gas and water utility supplies to RV Resorts and Manufactured Housing communities throughout North America. Wade is a primary member on Code Making Panel 7 of the National Fire Protection Association's National Electric Code panel and is a member of the Underwriters Laboratory Standards Technology Panel 231, (Power Outlets). Additionally, Wade sits on these panels as a representative of the National Association of RV Parks and Campgrounds. (ARVC).

Paul

Ext-101

Paul@go-usg.com

Paul Croteau has been with the company for five years. He has been in the electrical industry for over 30 years. His engineering, manufacturing and sales background has made him an invaluable asset to the RV Park electrical industry. He has worked with Millbank, Eaton and his agency Electrical Professionals prior to joining Utility Supply Group in 2013. Paul is based in the Kansas City, MO sales office and is Wade Elliott's right-hand man. As the Senior Sales Engineer, he is instrumental in helping customers with sales, technical support and providing electrical layout designs for parks. He is in charge of new product development and marketing. He also participates in most trade shows and has provided seminars nationwide.

Heidi

Ext-111

Heidi@go-usg.com

Heidi has been in the Outdoor Hospitality industry her entire life, growing up on a resort in Northern Wisconsin. It was an easy transition moving to the Campground and RV park industry, 5 years ago. You will find Heidi at many national trade shows and conventions, listening to and interacting with park owners. She works out of our Madison, Wisconsin office, specializing in excellent customer service and competitive pricing.

Julianne

Ext-108

Julianne@go-usg.com

Julianne is a Sales Advisor in our Washington office. She began her Sales career while still a student at George Fox University. Since then she has gained experience in not only Electrical Supply Sales but in Web hosting. She loves a challenge and wants to help you find the right solutions for your business. Thanks to her great listening skills and industry knowledge she is a great point of contact for any of those big product decisions.

Shelley

Ext-103

Shelley@go-usg.com

Shelley Walker has been working for the company for 5 years now. As an Office administrator, Shelley does daily office duties which include accounts payable and account receivable invoicing for vendors and customers. She also helps Wade with different projects from time to time. She is also here to be a help with Customer Service needs as needed.

Kate

Ext-106

Kate@go-usg.com

Kate is our Website & Social Media Coordinator as well as our new Sales Advisor. As our Website & Social Media Coordinator she manages the content you see on the USG website and Social Media Platforms. If you have any website questions she's the one with the answer. She is also responsible for all web sales and designs our advertisements and other marketing material.

INDEX

1258	20	H41B-3	6
1263	20	H41P-5	6
121 Tie Bar	20	H41SM-3	5
58BU	20	H61B-3	6
AC250 Top Connect	11	H61P-3	6
AL1L315	12	H61SM-3	5
AM250 Side Connect	11	H75B-3	6
ARL150	12	H75GB-3	7
Badger Recordall	11	H75GP-3	7
Base Hubs	20	H75GP-3L	7
BJ220	20	H75GSM-3	7
BR120	20	H75GSM-3L	7
BR130	20	H75P-3	6
BR250	20	H75P-3L	6
BR32U	20	H75SM-3	5
BR54U	20	H75SM-3L	6
Breaker Panels (Eaton)	18	Horizontal Load Center (CH 4 Position)	20
Breakers (Midwest)	19	Junction Box	14
BVBADNL75	9	Large Frame Breakers (Eaton)	18
BVBNL75	9	LC33N1T	20
CB120	20	LC55N1	20
CB130	20	LC55N1T	20
CB250	20	LED3	13
CB4200H	20	LED7	13
Commercial Enclosures (Milbank)	19	Lighting	12
Commercial Pedestals (Milbank)	19	Load Centers	12
CP3B-Aux-1200 Distribution Panel	14	Load Centers (Midwest)	17
Current Transformer Metering (Milbank)	19	Lug Assemblies (Midwest)	17
DEM	10	Lug Assemblies- Radial Feed	20
Disconnects (Eaton)	18	Lug Assemblies-Loop Feed	20
Distribution (Milbank)	19	M101C	15
Distribution Equipment	14	M101CP6	15
Distribution Panel Boards	14	M281C1B6H	15
Eaton Products (Eaton)	18	M281C1P6H	15
Electrical Layouts	3	M281CB1	15
Enclosed CB	14	Manufactured Housing Products	15
Factory Installed Internal Light	9	MARINER	13
Frost Free Hydrant	9	Meter Kit Complete	10
GF20V	20	Meter Modules (Eaton)	18
GFCB Kit	20	Metering (Milbank)	19
G-Series	7	Metering- Gas & Water	11
H11SM-3	5		

INDEX

MH41B-3	7	RV Products(Midwest)	17
MH41P-3	7	SAL-54-5WATT	12
MH41SM-3	5	SDL-4	12
MH75B-3	7	Service Entrance (Milbank)	19
MH75GB-3	8	Service Entrance Equipment	15
MH75GP-3	8	Service Entrance Pedestals (Midwest)	17
MH75GPD-3	8	Service Entrance Pedestals (Milbank)	19
MH75GSM-3	5	SFL-120	11
MH75P-3	7	Site Accessories	14
MH75P-3L	7	SKC	10
MH75SM-3	5	Small Frame Breakers (Eaton)	18
MH75SM-3L	5	SR113 Regulator	15
MHM200P	14	SSEM 120	10
MHR200P	14	SSEM 240	10
Milbank Products	19	Surface Mount Boxes	5
Millennium (Milbank)	19	Temporary Power (Midwest)	17
Neptune T-10	11	Terminal Box (Midwest)	17
New Products	4	Transformers	14
Outdoor Rated Panel Board (Midwest)	17	TTV100	9
Pagoda Light Kit	12	U0100010 (Midwest)	17
PHOTOCELL	13	U010C (Midwest)	17
PLK-LED	12	U013 (Midwest)	17
PM30 KIT	10	U013C (Midwest)	17
PM50 KIT	10	U054C (Midwest)	17
PowerHouse Pedestals (Eaton)	18	U1263	20
Powerslide Pedestal	4	U5136	14
PowerSlide Pedestals (Eaton)	18	U5168-XL-200	14
R101C	15	U5240	14
R101CP6	15	U5268-XL-200	14
R281C1B6H	15	UH90GTTV1	9
R281C1P6H	15	Unit Substations	15
R281CB1	15	UQFP-200	20
R32U	20	Voyager (Milbank)	19
Receptacles	20	W2PL50	9
Receptacles (Midwest)	20	Water Shroud	9
RH75B-3	8	Wire	16
RH75GP-3	8	WLED26	13
RH75GP-3L	8	WLED48	13
RH75P-3	8	WLED96	13
RH75P-3L	8	Zinsco Circuit Breaker	20
R-Series	8		
RV Products (Milbank)	19		

NEW
PRODUCTS!
SEE PAGES
4, 7, 8, 12 & 13



Headquarters & Western Region Warehouse:

26519 Bond Rd NE | Kingston, WA 98346

Sales Office & Central Region Warehouse:

Kansas City, MO 64123

WE SUPPORT OUR INDUSTRY



Missouri
Association of RV
Parks and
Campgrounds



800-800-2811
(Open 8:30 am - 5 pm Coast-to-Coast)

Visit our website:
www.go-usg.com

Follow us on Facebook, Instagram, Twitter and Youtube